



One-Way Call Box

- Works With Existing Two-Way Radios
- Improve Loss Prevention
- Improve Staff Productivity
- Increase Customer Service



Front



Side



Available Label Colors

Benefits:

- Works With Existing Store Analog Two-Way Radios
- Virtually Eliminates In-Store PA Paging
- Improves Employee Efficiency, Reduces Payroll Costs
- Simple to Install and Maintain by Store Personnel
 - Can Be Relocated to Different Locations

Features:

- Wireless Narrowband Analog Technology
- No System Needed
- Works Independently of Any Network, Does Not Use WiFi or IP Connection
- UHF Frequencies
- Transmits Audio Messages to Store Two-Way Radios
- Battery Powered, No Wiring Required
- Locally or Prerecorded .wav Voice Messages
- Durable, Waterproof Enclosure (IP67)
- 4 Label Colors Available
- Customizable Label Upon Request (Call 800-475-5852 to learn more)

| Specifications | |
|--------------------------|---------------------------|
| Housing | Black |
| Dimension (inches) | 8.125" x 5.1" x 2.75" |
| Weight (with batteries) | 23 oz |
| Antenna | Internal |
| Power Output | .5/2W |
| Power Supply - Batteries | (3) D-Cell Batteries |
| Frequency | 450MHz to 470MHz |
| Channels | One |
| Sleep Mode | Yes |
| CTCSS & DCS Coding | Yes |
| Channel Spacing | 12.5 KHz |
| Operating Voltage | 5 V DC |
| Frequency Stability | ± 2.5 PPM |
| Operating Temperature | -25°C to +55°C |
| Antenna Impedance | 50 Ohm |
| Modulation | ± 2.5 KHz |
| Spurious and Harmonics | ≤ -36 dBm |
| FM Noise | ≥ 45 dB |
| Audio Distortion | ≤5% at Rated Output |
| Sensitivity | Adjustable .2 μV to .5 μV |
| Selectivity | 60dB |
| S/N | ≥ 45 dB |
| Rated Audio Power Output | 500mW |
| Part Numbers | |
| Blue | 106261-Blue |
| Black | 106261-Black |
| Red | 106261-Red |
| Orange | 106261-Orange |



Bracket
916034

